

## GENERATOR SET QUOTATION CHECKLIST

Job Name	Location	Location					Bid Date	
							Phone	
Customer Name				Engineer's Name				
Different Address				Address		<u>.</u> ,		
Billing Address			ľ	nuu: ess				
City	State	State Zip Code		City State				
,			-					
		-						
Total Quoted Price	Terms			Indicate Quantities Nee				
				Spec. Adv.				Wire
				Sheets Drawings				_ Diagram
Delivery Date Quoted	Date Quotai	tion Expires		Verification Number				
	<u> </u>							
Prepared by								
Quotation Numbers for Special Mod	lifications (add	brief description)						
Quotation numbers to special wax	moanons (acc	oner description,						
							-	
					•			
						<del></del>		<del></del>
Comments								
							_ ~.	
FOLLOW-UP DA	TES			BID RESULTS				
						······································		
		I						

Qty.   Model   KW   KVA   Voltage	Phase	Wires
Cycle RPM Generator Set Specification No.	List	Net
	TO.	TAL
DESCRIPTION PART NO. QTY. LIST EACH	LIST	NET
Radiator Model, DEC-3 Control, std Gen.		
Radiator Model, DEC-3 Control, oversize Gen.		
Model, Less Cooling and Control, std Gen.*		
Model, Less Cooling and Control, oversize Gen.*		
Radiator Model, DEC-3 Control, 600 V CSA, std Gen.		
Model, Less Cooling and Control, 600 V CSA, std Gen.*		
Model, Less Cooling and Control, 380 V, 60 Hz, std Gen.		
ENCLOSED GENERATOR ACCESSORIES		
Weather Housing (40° C Ambient)		
Weather Housing (50° C Ambient)		
Sound Shield Housing		
Residential Silencer Mounting Hardware Kit		
Critical Silencer Mounting Hardware Kit		
Silencer-Industrial Silencer-Industrial		
Silencer-Critical Silencer-Critical		
Tail Pipe and Rain Cap		
Export Boxing with Housing		
EXHAUST SYSTEM ACCESSORIES		
Flexible Exhaust Connector-Stainless Steel		
Adapter Bushings		
Silencer—Industrial, Side In/End Out		
Silencer—Critical, Side In/End Out		
Silencer—Industrial, End In/End Out		
Silencer—Critical, End In/End Out		
COOLING SYSTEM ACCESSORIES		
Block Heater, 110-120 Volt		
Block Heater, 190-240 Volt		
Block Heater, 380-480 Volt		
Radiator Duct Flange (40° C Ambient)		
Radiator Duct Flange (50° C Ambient)		
City Water Cooling (Dry Manifold)		
Remote Radiator Set-Up (Dry Manifold)		
Radiator, 40° C Ambient		
Radiator, 50° C Ambient		<u> </u>
Radiator Cooling System Kit (Sound Shield)		
Radiator Cooling System Kit		
Remote Radiator 60 Hz		
Remote Radiator 50 Hz		
Heat Recovery Fittings		
Heat Exchanger Cooling		
ELECTRICAL SYSTEM ACCESSORIES		Γ
Battery Rack and Cables (12 VDC)		
Battery Rack and Cables (24 VDC)		
Isoch Barber Colman Governor (12-24 VDC)		
Generator Strip Heater, 110-120/220-240 V, 150 Watts		
Voltage Regulator +/- 1%		
Line Circuit Breakers (See Price Bulletin)		
Bus Bar Kits (See Price Bulletin)		
Safeguard Breaker for Reconnectible Generators		
Safeguard Breaker for 347/600 V Generators		
Pre-Alarm Senders Kit (Includes ALOP, AHWT and LWT)		
Local Emergency Stop Button		<u> </u>
Run Relay (12 VDC)		
Run Relay (24 VDC)  Overvoltage Protection Shutdown Kit		

<sup>\*</sup>Requires Cooling and Control Options

				TOTAL		
DESCRIPTION	PART NO.	QTY.	LIST EACH	LIST	NET	
ELECTRICAL	SYSTEM ACCESS	ORIES (C	ont.)			
Common Failure Relay						
Controller Connection Kit						
Starting Battery						
Battery Charger-Trickle 12/24 Volt						
Battery Charger-Equalize/Float-12 Volt						
Battery Charger-Equalize/Float-12 Volt w/Alarms						
Battery Charger-Equalize/Float-24 Volt						
Battery Charger-Equalize/Float-24 Volt w/Alarms						
Battery Heater						
Remote Audible/Visual Alarm Panel Kit						
16 Light Remote Annunciator Panel, Surface						
16 Light Remote Annunciator Panel, Flush						
Remote Emergency Stop Switch Kit						
Dry Contact Kit, 1 SPDT, 3 Amp						
Dry Contact Kit, 10 SPDT, 3 Amp						
40' Cables for Remote Mtg. Controller						
Fastcheck® and Wire Harness						
FUEL	SYSTEM ACCESS	ORIES	-			
Flexible Fuel Lines						
Fuel Pressure Gauge						
Subbase Fuel Tank (See Price Bulletin)						
Auxiliary Fuel Pump (12 Volt DC)						
Fuel Day Tank (See Price Bulletin)						
NFPA-110 Manual Valve & Gas Solenoid Bypass		<del> </del>				
Automatic Changeover Nat/LP Gas					<u> </u>	
Manual Changeover Combination LP or Nat Gas & Gasoline (Specify type of gas)						
LP Gas Liquid Withdrawal			· · · · · · · · · · · · · · · · · · ·			
Flexible Fuel Line, Gasoline		<del> </del>	<del> </del>			
Flexible Fuel Line, Gas (Additional)		<del> </del>				
Gas Strainer	<del> </del>	<u> </u>				
Gas Solenoid Valve (Additional)						
Electric Fuel Pump (Additional)		<u> </u>				
OPTIONAL CONTROLLERS (I	Jandaton, with Co	ntrolleries	E Spec \ INSTALL	FD		
AND AND THE STATE OF THE STATE	Haridatory With CO	iki Onei ies	S Spec./ INSTAL		T	
Engine Gauge Box for Paralleling (Requires 24 VDC)  Manual Controller w/Std. Meterbox	<del></del>	<del> </del>				
		-				
Manual Controller w/Std. Meterbox (600 Volt)  NFPA-110 Level 2 Controller w/Std. Meterbox (6 Light)		<del> </del>	<u> </u>	<del>                                     </del>		
		<del> </del>				
NFPA-110 Level 2 Controller w/Std. Meterbox (600 Volt)	<del></del>	<del> </del>	<u> </u>			
NFPA-110 Level 2 Controller w/Oversize Meterbox (6 Light)		ļ	<u> </u>			
NFPA-110 Level 2 Controller w/Oversize Meterbox (600 Volt)		<del> </del>			ļ	
NFPA-110 Level 1 Controller w/Std. Meterbox (DEC-3)	-	+				
NFPA-110 Level 1 Controller w/Std. Meterbox (600 Volt)		<del> </del>	<del>                                     </del>	<del> </del>		
NFPA-110 Level 1 Controller w/Oversize Meterbox (DEC-3)						
NFPA-110 Level 1 Controller w/Oversize Meterbox (600 Volt)				-		
AC Wattmeter 120/240 3PH (Oversize Meterbox Only)		<u> </u>				
AC Wattmeter 120/208 3PH (Oversize Meterbox Only)		<u> </u>				
AC Wattmeter 277/480 3PH (Oversize Meterbox Only)		1				
AC Wattmeter/ 3 PH (Oversize Meterbox Only)		1			1	
Tachometer (Oversize Meterbox Only)		1	<del> </del>			
Oil Temperature Gauge (Oversize Meterbox Only)						
ADDITIONAL ENGI	NE AND GENERA	OH ACCE	SOURIES	T	1	
CSA for Reconnectible Generators	1	ļ				
Oversize Generator (600 Volt)		ļ	<u> </u>			
Rated Power Factor Test (0.8 PF)		<u> </u>				
Rodent Guards (Non CSA Gens Only)					ļ	
Rodent Guards (CSA Gens Only)						
Normal Duty Air Cleaner						
Heavy Duty Air Cleaner			1		[	

DESCRIPTION						TOTAL	
		PART NO. QTY		LIST EACH	LIST	NET	
	ADDIT	TONAL ENGINE A	ND GENERATOR	ACCESSO	ORIES (Cont.)		
Air Cleaner Restriction	100 1000, 1000, 1000						
Oil Drain Extension w/							
Exhaust Manifold Blan	kets						
Export Boxing Unhous	ed Genset						
Shipping Crate							
Break-in Oil							
Skid End Cap Kit							
NFPA-110 Required Li	terature						
	PARALLI	ELING SYSTEM A	CCESSORIES IN	STALLED (	ON GENERATOR		
Engine Electrics 24 VI Includes 24 VDC Fi	DC (Mandatory with Kohleuel Solenoid, Alternator &	er Switchgear, Starter Motor)					
Voltage Regulator Rele	ocation Kit						
CT's (Required when	Gaugebox ordered with S	afeguard)					
CT's - 600 V (Required	d when Gaugebox ordere	d with Safeguard)				-	
Load Sharing Module							
Remote Speed Adjusti	ing Potentiometer						
Voltage Regulator Rel		·····					
Reactive Droop Comp							
			DESCRIPTION				
	AMOTUA	TIC TRANSFER S	WITCHES			PR	ICE
Quantity	Model					LIST	NET
Quantity	iniode:						
Voltage	Phase	Wires		Poles	Amps		
OPTIONS (Specify)							·
Quantity	Model					LIST	NET
Voltage	Phase	Wires		Poles	Amps		
OPTIONS (Specify)	l						
		Total	: at		<b>&gt;</b>		
		Total	LIST			ļ	
		Disco	unted List		<b>•</b>		
				ATO Ass			
		lotal	Net (Excluding	A15 ACC	essories) >		
		ATS A	Accessories		<b>&gt;</b>		
		Non-ł	Kohler Accesso	ories	<b>&gt;</b>		
		Total	Cost		<b>&gt;</b>		
		Freigl			<b>&gt;</b>		
		Start-	· · · · · · · · · · · · · · · · · · ·	·	<u> </u>		
			Up (Profit)		<u> </u>		
		TOTA	L QUOTED P	RICE	<b>•</b>		